UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/517,778	04/14/2006	Tetsuo Ikezono	P26460	9010
	7590 11/13/200 & BERNSTEIN, P.L.(EXAMINER		
1950 ROLAND	CLARKE PLACE		FOSTER, CHRISTINE E	
RESTON, VA 20191			ART UNIT	PAPER NUMBER
			1641	
			NOTIFICATION DATE	DELIVERY MODE
			11/13/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

gbpatent@gbpatent.com pto@gbpatent.com

	Application No.	Applicant(s)			
Office Action Commence	10/517,778	IKEZONO ET AL.			
Office Action Summary	Examiner	Art Unit			
	Christine Foster	1641			
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the	correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATIO 36(a). In no event, however, may a reply be till apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 28 J	action is non-final. nce except for formal matters, pr				
Disposition of Claims					
4) ☐ Claim(s) 1-13 is/are pending in the application 4a) Of the above claim(s) 8-13 is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-7 is/are rejected. 7) ☐ Claim(s) 2 is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o Application Papers 9) ☐ The specification is objected to by the Examine 10) ☐ The drawing(s) filed on 27 December 2004 is/a Applicant may not request that any objection to the	n from consideration. or election requirement. er. are: a)⊠ accepted or b)□ objec	•			
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex		•			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate			

Application/Control Number: 10/517,778 Page 2

Art Unit: 1641

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

- 1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7/28/2009 has been entered.
- 2. Claim 1 was amended. Accordingly, claims 1-13 are pending in the application, with claims 8-13 currently withdrawn. Claims 1-7 are subject to examination below.

Objections/Rejections Withdrawn

- 3. The rejections under 35 U.S.C. 103(a) have been withdrawn pursuant to further consideration by the examiner in view of the non-patent literature publication by Ikezono et al. (Audiology & Neurotology Vol. 14 (2009) pages 338-334), which was submitted by Applicant in the Reply filed 7/28/2009.
- 4. The rejection of claim 3 under § 112, 2nd paragraph has been withdrawn.

Claim Objections

5. Claim 2 is objected to because of the following informalities:

In the instant Reply, Applicant amended independent claim 1 to remove the term "the possibility" in line 3 so as to conclude "using the detected existence of Cochlin as an indicator of a perilymph fistula".

Application/Control Number: 10/517,778 Page 3

Art Unit: 1641

However, dependent claim 2 continues to refer to "using the detected existence of Cochlin as an indicator of *the possibility* of a perilymph fistula (emphasis added). Applicant is requested to employ consistent language throughout the claims in regards to the conclusion step order to avoid confusion.

Appropriate correction is required.

Claim Rejections - 35 USC § 112

6. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

7. Claims 1-7 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for methods of detecting a perilymph fistula by detecting the existence of a 16-kDa N-terminal fragment of Cochlin using an anti-Cochlin N-terminal fragment antibody that recognizes an antigenic determinant contained within amino acids 36 to 127 of SEQ ID NO:1, does not reasonably provide enablement for methods of detecting a perilymph fistula by detecting the existence of any type of Cochlin, or by any means. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims.

The nature of the invention relates to methods of using Cochlin as a marker of perilymph fistula. Perilymph (fluid existing in the inner ear tissues) may leak into the middle ear, a pathological condition known as "perilymph fistula" (specification, pages 1 and 9). The specification suggests that the protein Cochlin exists only in the perilymph, such that detection of

Art Unit: 1641

this protein would indicate the presence of perilymph. In particular, the specification suggests that antibodies directed against portions of the Cochlin protein may be used in order to assay fluid found in the middle ear in order to determine whether the fluid is perilymph (and hence whether perilymph fistula has occurred). See especially pages 1 and 9-10.

The claims recite detecting the existence of "Cochlin". As defined in the specification, the term "Cochlin" refers to a protein encoded by a COCH gene (pages 9-10). In addition to the full-length amino acid sequence of Cochlin, three isoforms of different molecular weight were known (p63, p44, and p40; ibid).

Therefore, the term "Cochlin" as used in the claims would broadly encompass any protein encoded by the COCH gene. See also claim 3, which explicitly refers to detecting Cochlin by detecting a protein consisting of an N-terminal fragment of a p63, p44, or p40 isoform of Cochlin; or alternatively by detecting a 16kDa N-terminal fragment of Cochlin recognized by an anti-Cochlin N-terminal fragment antibody.

The prior art recognized that protein products of the COCH gene are found in the inner ear. See Ikezono et al. (Biochimica et Biophysica Acta 1535 (2001) 258-265), which reports the detection of Cochlin in inner ear tissue samples (see in particular the abstract; page 259, section 2.1; and page 264, right column, penultimate paragraph). Similarly, Botstein et al. (US 6,913,919 B2) taught that Cochlin (Coch-B2) is specifically expressed in the inner ear. See column 12, line 60 to column 13, line 10. Ikezono et al. also recognized that Cochlin exists in the inner ear as different isoforms, identified as p63, p44, and p40 (see page 264, left column; and also Tables 1-3 and Figure 4).

Art Unit: 1641

Nonetheless, the prior art failed to specifically teach that Cochlin exists in <u>perilymph</u> fluid (Ikezono et al. 2001 studied homogenized *tissue* samples).

However, it was also known that proteins may penetrate into the perilymph. See Magal et al. (US 6,274,554 B1) at column 20, lines 45-48.

Armed with such knowledge, one of ordinary skill in the art may reasonably expect that Cochlin, as an inner ear protein, would penetrate into perilymph (see the Office action mailed 4/29/2009 at pages 4-7 and 10-13).

However, in the instant case there is evidence of substantial unpredictability. In particular, Ikezono et al. ("Cochlin-Tomoprotein: A Novel Perilymph-Specific Protein and a Potential Marker for the Diagnosis of Perilymphatic Fistula" Audiol Neurotol 2009;14:338-344; submitted as part of Applicant's Reply of 7/28/2009, copy attached herewith) detected the three Cochlin isoforms p63, p44, and p40 in inner ear tissue. However, when perilymph was analyzed, only a distinct isoform, the 16-kDa isoform termed "Cochlin-Tomoprotein", was detected (see entire selection, in particular page 338, "Background").

Similarly, Applicants have elsewhere reported that while this 16-kDa isoform is found in perilymph, other known Cochlin isoforms cannot be detected in perilymph. See Ikezono et al. ("Identification of a novel Cochlin isoform in the perilymph: insights to Cochlin function and the pathogenesis of DFNA9" Biochemical and Biophysical Research Communications 314 (2004) 440–446), in particular the abstract; paragraph bridging pages 440-441; Figure 1A; page 443, right column; page 444, left column). The authors discuss how the N-terminal portion of full-length Cochlin is likely cleaved to form the Cochlin-Tomoprotein isoform, which is then

Art Unit: 1641

secreted into the perilymph; and further comment that it is unlikely that full-length Cochlin is processed in the perilymph. See page 445, left column.

The evidence of record therefore suggests that none of the three Cochlin isoforms identified in the prior art are present in perilymph. Rather, the form of Cochlin that is found in perilymph is a previously-unidentified isoform having an approximate molecular weight of 16 kDa and corresponding approximately to residues 32-132 of Cochlin (Ikezono et al. 2009, Figure 1).

In view of this unpredictability, it is apparent that one of ordinary skill in the art would face an undue burden of experimentation in carrying out the claimed invention in its full scope. In particular, Applicant's postfiling publications indicate that only a single Cochlin isoform is actually present in perilymph, namely the 16-kDa N-terminal fragment now known as Cochlin-Tomoprotein. By contrast, the claims broadly encompass detection of perilymph fistula by detecting any protein expressed from a COCH gene, including the full-length protein as well as the art-recognized isoforms p63, p44, and p40. Claim 3 also specifically recites the detection of N-terminal fragments of p44 and p40. However, Applicant's postfiling data indicate that these other Cochlin molecules do not exist in perilymph (Ikezono et al. 2009, see especially Figure 1; Ikezono et al. 2004, abstract). As would be appreciated by the skilled artisan, molecules not present in perilymph would not be useful markers in methods for detecting perilymph fistula.

The specification discloses immunological methods for detecting Cochlin in perilymph, in which antibodies that recognize antigenic determinants contained within amino acids 36-127 of full-length Cochlin (SEQ ID NO:1) were used to detect Cochlin. Such antibodies would be capable of binding to the 16-kDa Cochlin-Tomoprotein isoform found in perilymph, as this

isoform includes residues 36-127 of SEQ ID NO:1 (Ikezono et al. 2009, Figure 1). Using these antibodies, Applicants successfully detected a protein of 16 kDa existing only in perilymph (Example 1).

However, the specification fails to provide guidance with regard to how to detect any other Cochlin molecules as markers of perilymph fistula. There are no working examples in which any other Cochlin molecules were detected in perilymph.

In addition, while the level of skill in the art was high, Applicants have argued that the knowledge in the art regarding markers for diagnosis of perilymph fistula was low even well after the filing date of the instant invention. See the Reply of 7/28/2008 at page 16, second paragraph; and also at Ikezono et al. 2009, in particular at page 339, left column ("To date, there is no clinically relevant biochemical marker for perilymph leakage" and also at page 341, left column ("There is no established diagnostic test with enough sensitivity and specificity to identify the presence or absence of perilymph leakage").

In summary, while the prior art recognized Cochlin to be an inner ear protein, its secretion into perilymph fluid had not been previously reported. Further, there is evidence of substantial unpredictability in regards to this secretion, insofar as none of the previously-known Cochlin isoforms are apparently released into perilymph. Rather, Applicant's data in the specification and in the postfiling literature indicate that only the 16-Kda Cochlin-Tomoprotein isoform (which was not previously known) is actually present is perilymph. When taken together with the breadth of the claims, which encompass detection of any Cochlin isoform in perilymph, the specification fails to teach the skilled artisan how to make and use the claimed invention in its full scope without undue experimentation.

Application/Control Number: 10/517,778 Page 8

Art Unit: 1641

Response to Arguments

8. Applicant's arguments filed 7/28/2009 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christine Foster whose telephone number is (571) 272-8786. The examiner can normally be reached on M-F 6:30-3:00. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Shibuya, can be reached at (571) 272-0806. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Christine Foster/ Examiner, Art Unit 1641